

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 25-2-2019 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Ceramill Gingiva Mask

Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

Use of the substance/mixture : Manufacture of 3D-printed applications for the dental industry

Use of the substance/mixture : Dentistry

Title	Life cycle stage	Use descriptors
Ceramill Gingiva Mask	Professional	SU20

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

DistributorManufacturerAmann Girrbach AGVertex DentalHerrschaftswiesen 1Centurionbaan 190

P.O. Box 6842

T +31 886160400

Koblach - Austria <u>info@vertex-dental.com</u> - <u>www.vertex-dental.com</u>

1.4. Emergency telephone number

Emergency number : (Only for the purpose of informing medical personnel in cases of accidental intoxications. The emergency phone number is 24 hours/day available.)

Country	Official advisory body	Address	Emergency number	Comment
ŭ	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 4 H413

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

Signal word (CLP) : Warning

Hazardous ingredients : phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide; 2-hydroxyethyl acrylate; Methacrylic

acid, monoester with propane-1,2-diol

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H413 - May cause long lasting harmful effects to aquatic life.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) P280 - Wear protective gloves, eye protection, face protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. P501 - Dispose of contents/container to an approved waste disposal plant.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	% w/w (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Poly(oxy(methyl-1,2-ethanediyl)), .alpha(2-methyl-1-oxo-2- propenyl)omegahydroxy- (4-PO)	(CAS-No.) 39420-45-6 (EC-No.) 609-674-6	20 - 30	Aquatic Chronic 3, H412
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate	(CAS-No.) 7534-94-3 (EC-No.) 231-403-1 (REACH-no) 01-2119886505-27	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Methacrylic acid, monoester with propane-1,2-diol	(CAS-No.) 27813-02-1 (EC-No.) 248-666-3 (REACH-no) 01-2119490226-37	1 - 5	Eye Irrit. 2, H319 Skin Sens. 1, H317
phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	(CAS-No.) 162881-26-7 (EC-No.) 423-340-5 (EC Index-No.) 015-189-00-5 (REACH-no) 01-2119489401-38	1 - 5	Skin Sens. 1, H317 Aquatic Chronic 4, H413
2-hydroxyethyl acrylate (Note D)	(CAS-No.) 818-61-1 (EC-No.) 212-454-9 (EC Index-No.) 607-072-00-8 (REACH-no) 01-2119459345-34	0,1 - 1	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Specific concentration limits:			
Name	Product identifier	Specific con	centration limits
2-hydroxyethyl acrylate	(CAS-No.) 818-61-1 (EC-No.) 212-454-9 (EC Index-No.) 607-072-00-8 (REACH-no) 01-2119459345-34	(0,2 = <c 1,="" 100)="" <="" h317<="" sens.="" skin="" td=""></c>	

Note D: Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3.

However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words "non-stabilised".

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general

advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

: Immediately rinse with water for a prolonged period while holding the eyelids wide open. First-aid measures after eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

25-2-2019 (Version: 1.0) EN (English) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Store away from other materials.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Keep container closed when not in use. To avoid the risks

of fires, all contaminated materials should be stored in purpose-built containers or in metal

containers with tight-fitting self-closing lids.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Titanium dioxide (13463-67-7)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	10 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	700 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0,000184 mg/l	
PNEC aqua (marine water)	0,0184 mg/l	
PNEC aqua (intermittent, freshwater)	0,193 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1000 mg/kg bw	

25-2-2019 (Version: 1.0) EN (English) 3/11

Ceramill Gingiva Mask Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

T(- 1 - 1 - 1 - (40400 07 T)		
Titanium dioxide (13463-67-7)		
PNEC sediment (marine water)	100 mg/kg bw	
PNEC (Soil)		
PNEC soil	100 mg/kg bw	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	
phenyl bis(2,4,6-trimethylbenzoyl)-phosp	phine oxide (162881-26-7)	
DNEL/DMEL (Workers)		
Acute - systemic effects, dermal	3,33 mg/kg bodyweight/day	
Acute - systemic effects, inhalation	7,84 mg/m³	
Long-term - systemic effects, dermal	3,33 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	7,84 mg/m³	
DNEL/DMEL (General population)		
Acute - systemic effects, dermal	1,67 mg/kg bodyweight	
Acute - systemic effects, inhalation	3,92 mg/m³	
Acute - systemic effects, oral	1,67 mg/kg bodyweight	
Long-term - systemic effects,oral	1,5 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1,93 mg/m³	
Long-term - systemic effects, dermal	1,5 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0,0008 - 0,001 mg/l	
PNEC aqua (marine water)	0,0008 - 0,001	
PNEC aqua (intermittent, marine water)	0,0008 - 0,001 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0,712 mg/kg bw	
PNEC sediment (marine water)	0,712 mg/kg bw	
PNEC (Soil)		
PNEC soil	20 mg/kg bw	
PNEC (STP)		
PNEC sewage treatment plant	1 mg/l	
2-hydroxyethyl acrylate (818-61-1)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	2,4 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	1,2 mg/m³	
PNEC (Water)		
PNEC aqua (freshwater)	0,0172 mg/l	
PNEC aqua (marine water)	0,00172 mg/l	
PNEC aqua (intermittent, freshwater)	0,0361 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	0,0636 mg/kg bw	
PNEC sediment (marine water)	0,00636 mg/kg bw	
PNEC (Soil)		
PNEC soil	0,00263 mg/kg bw	
	, 55	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EO) 2015/630				
2-hydroxyethyl acrylate (818-61-1)				
PNEC (STP)				
PNEC sewage treatment plant	10 mg/l			
Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-	Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)			
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	1,04 mg/kg bodyweight/day			
DNEL/DMEL (General population)				
Long-term - systemic effects, dermal	0,625 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	0,00466 mg/l			
PNEC aqua (marine water)	0,00000466 mg/l			
PNEC aqua (intermittent, freshwater)	0,0179 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	0,604 mg/kg bw			
PNEC sediment (marine water)	0,0604 mg/kg bw			
PNEC (Soil)				
PNEC soil	0,118 mg/kg bw			
PNEC (STP)				
PNEC sewage treatment plant	2,45 mg/l			
Methacrylic acid, monoester with propa	ne-1,2-diol (27813-02-1)			
DNEL/DMEL (Workers)				
Long-term - systemic effects, dermal	4,2 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	14,7 mg/m³			
DNEL/DMEL (General population)				
Long-term - systemic effects,oral	2,5 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	8,8 mg/m³			
Long-term - systemic effects, dermal	2,5 mg/kg bodyweight/day			
PNEC (Water)				
PNEC aqua (freshwater)	0,904 mg/l			
PNEC aqua (marine water)	0,904 mg/l			
PNEC aqua (intermittent, freshwater)	0,972 mg/l			
PNEC aqua (intermittent, marine water)	0,972 mg/l			
PNEC (Sediment)				
PNEC sediment (freshwater)	6,28 mg/kg bw			
PNEC sediment (marine water)	6,28 mg/kg bw			
PNEC (Soil)				
PNEC soil	0,727 mg/kg bw			
PNEC (STP)				
PNEC sewage treatment plant	10 mg/l			
8.2. Exposure controls				

Hand protection:

Wear suitable gloves resistant to chemical penetration. The protective gloves to be used must comply with the specifications of the regulation 2016/425 and the resultant standard EN 374. penetration time (maximum wearing period): > 480 m. Suitable material: butyl rubber. Layer thickness: 0,3 mm. If there is a risk of liquid being splashed: Nitrile rubber gloves Incidental

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Eye protection:

Wear eye glasses with side protection according to EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No personal breathing protective equipment is normally required. In case of inadequate ventilation wear respiratory protection. particle filter device (DIN EN 143)

Personal protective equipment symbol(s):







Environmental exposure controls:

Use appropriate container to avoid environmental contamination.

Other information:

Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Viscous.
Colour : pink.
Odour : Ester.

Odour threshold : No data available : No data available рΗ Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) : Non flammable. : No data available Vapour pressure Relative vapour density at 20 °C : No data available

Relative density : 1,05 - 1,2 Relative density, liquid (water=1)

Solubility : Water: Insoluble

Organic solvent: Soluble in organic solvents

Log Pow: No data availableViscosity, kinematic: No data availableViscosity, dynamic: 1 - 2 Pa·sExplosive properties: No data availableOxidising properties: No data availableExplosive limits: No data available

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
LD50 oral rat	2000 mg/kg
LD50 dermal rat	2000 mg/kg

2-hydroxyethyl acrylate (818-61-1)	
LD50 oral rat	540 mg/kg
LD50 dermal rat	1000 mg/kg bw/day

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3) LD50 oral rat 3,16 - 6,81 ml/kg

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)	
LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rabbit	5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	· Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)

NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight/day

2-hydroxyethyl acrylate (818-61-1)	
NOAEL (oral, rat, 90 days)	196 - 305
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	2,4 mg/m³

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3) NOAEL (oral, rat, 90 days) 25 - 500 mg/kg bodyweight/day

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)	
NOAEL (oral, rat, 90 days)	300 - 2500 mg/kg bodyweight/day

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

25-2-2019 (Version: 1.0) EN (English) 7/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.1. Toxicity

Ecology - general : Avoid release to the environment.

Ecology - water : May cause long lasting harmful effects to aquatic life.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
LC50 fishes	0,09 mg/l
EC50 Daphnia	1,175 mg/l
EC50 72h algae (1)	0,26 mg/l
LOEC (chronic)	0,008 mg/l
NOEC (chronic)	0,008 mg/l 21 d
NOEC chronic algae	0,26 mg/l

2-hydroxyethyl acrylate (818-61-1)	
LC50 fishes	4,8 - 17,5 mg/l
EC50 Daphnia	9,3 mg/l
EC50 72h algae (1)	6 mg/l
NOEC (chronic)	0,48 - 0,86 mg/l
NOEC chronic algae	1 mg/l

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)	
LC50 fishes 1,79 mg/l	
EC50 Daphnia	2,57 mg/l
EC50 72h algae (1)	2,28 mg/l
NOEC (chronic)	0,233 mg/l (21 d)

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)	
EC50 Daphnia	143 mg/l
EC50 72h algae (1)	97,2 mg/l
NOEC chronic crustacea 45,2 mg/l (21 d)	
12.2. Persistence and degradability	
Ceramill Gingiva Mask	
Persistence and degradability May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential	
Ceramill Gingiva Mask	
Bioaccumulative potential	Not established.

phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)	
Log Pow	4,65 - 5,8 @ 20-22 °C and pH 7.5

2-hydroxyethyl acrylate (818-61-1)	
Log Pow	-0,17 @ 25°C

Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate (7534-94-3)	
Log Pow	5,09

25-2-2019 (Version: 1.0) EN (English) 8/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Methacrylic acid, monoester with propane-1,2-diol (27813-02-1)

Log Pow 0,97 @ 20 °C and pH 2 - 8

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

Product/Packaging disposal recommendations : Can be dumped in according to local regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008

2-hydroxyethyl acrylate

25-2-2019 (Version: 1.0) EN (English) 9/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	Ceramill Gingiva Mask - 2-hydroxyethyl acrylate - Exo-1,7,7-trimethylbicyclo[2.2.1]hept-2-yl methacrylate - Methacrylic acid, monoester with propane-1,2-diol
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	Ceramill Gingiva Mask - 2-hydroxyethyl acrylate

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

VOC content : 0 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information			
Abbreviations and acronyms:			
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
EC50	Median effective concentration		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
SDS	Safety Data Sheet		
vPvB	Very Persistent and Very Bioaccumulative		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	Full text of H- and EUH-statements:		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Chronic 3	Hazardous to th	ne aquatic environment — Chronic Hazard, Category 3	
Aquatic Chronic 4	Hazardous to th	ne aquatic environment — Chronic Hazard, Category 4	
Eye Irrit. 2	Serious eye dar	mage/eye irritation, Category 2	
Skin Corr. 1B	Skin corrosion/i	rritation, Category 1B	
Skin Irrit. 2	Skin corrosion/i	rritation, Category 2	
Skin Sens. 1	Skin sensitisation	on, Category 1	
STOT SE 3	Specific target of	organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H302	Harmful if swallowed.		
H312	Harmful in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H335	May cause respiratory irritation.		
H412	Harmful to aquatic life with long lasting effects.		
H413	May cause long lasting harmful effects to aquatic life.		
Full text of use descriptors			
SU20	Health services		
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Skin Sens. 1	H317	Calculation method	
Aquatic Chronic 4	H413	Calculation method	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

25-2-2019 (Version: 1.0) EN (English) 11/11