



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name: Ceramill Liquid FX RO, GIN****UFI: 47R0-56G9-620M-K20N**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

**Application of the substance / the preparation:** Auxiliary for dental technology

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Firmenbezeichnung  
Amann Girrbach AG  
Herrschaftswiesen 1  
A-6842 Koblach  
Telefon: 0043 5523 623330  
Fax: 0043 5523 55990  
Email: austria@amanngirrbach.com  
Internet: www.amanngirrbach.com

Inverkehrbringer  
Amann Girrbach GmbH  
Duerrenweg 40  
D-75177 Pforzheim  
Telefon: 0049 7231 957100  
Fax: 0049 7231 957129  
Email: germany@amanngirrbach.com  
Internet: www.amanngirrbach.com

**Further information obtainable from:** Amann Girrbach GmbH

#### 1.4 Emergency telephone number:

Giftinformationszentrum-Nord / GIZ-Nord Poisons Centre

Telefon / Phone +49 (0) 551/19240

24h / 7d

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No 1272/2008:**

GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements:

**Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

Trade name: Ceramill Liquid FX RO, GIN

(Contd. of page 1)

**Hazard pictograms:**

GHS05 GHS07

**Signal word:** Warning**Hazard-determining components of labelling:**

erbium(III) chloride hexahydrate

**Hazard statements:**

H290 May be corrosive to metals.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Precautionary statements:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P406 Store in a corrosion resistant container / container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards:****Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 10025-75-9	erbium(III) chloride hexahydrate	≥20-≤25%
EC number: 629-567-8	⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 7647-01-0	hydrochloric acid	≥0.1-<1%
EINECS: 231-595-7	⚠ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	
	Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 %	
	Skin Irrit. 2; H315: 10 % ≤ C < 25 %	
	Eye Irrit. 2; H319: 10 % ≤ C < 25 %	
	STOT SE 3; H335: C ≥ 10 %	
	Met. Corr.1; H290: C ≥ 0.1 %	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures:****General information:**

Take affected persons out into the fresh air.

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

**Trade name: Ceramill Liquid FX RO, GIN**

(Contd. of page 2)

Do not leave affected persons unattended.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.

**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

**After swallowing:** Call a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media:**

**Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture:**

Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Hydrogen chloride (HCl)

**5.3 Advice for firefighters:**

**Protective equipment:**

Do not inhale explosion gases or combustion gases.

Mouth respiratory protective device.

**Additional information:**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Use respiratory protective device against the effects of fumes/dust/aerosol.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling:**

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

**7.2 Conditions for safe storage, including any incompatibilities:**

**Storage:**

**Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

(Contd. on page 4)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

**Trade name: Ceramill Liquid FX RO, GIN**

(Contd. of page 3)

**Information about storage in one common storage facility:**

Do not store together with alkalis (caustic solutions).

Store away from foodstuffs.

**Further information about storage conditions:** Keep container tightly sealed.**7.3 Specific end use(s):** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters:****Ingredients with limit values that require monitoring at the workplace:****7647-01-0 hydrochloric acid**OEL Short-term value: 15 mg/m<sup>3</sup>, 10 ppmLong-term value: 8 mg/m<sup>3</sup>, 5 ppm

IOELV

**8.2 Exposure controls:****Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

**Respiratory protection:** Not necessary if room is well-ventilated.**Hand protection** Protective gloves**Material of gloves:**

Nitrile rubber, NBR

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties:****General Information:**

<b>Colour:</b>	Dark red
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable.
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	<2

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

Trade name: Ceramill Liquid FX RO, GIN

(Contd. of page 4)

<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>Dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>water:</b>	Fully miscible.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined.
<b>Relative density:</b>	Not determined.
<b>Vapour density:</b>	Not determined.

**9.2 Other information:****Appearance:**

Form: Fluid

**Important information on protection of health and environment, and on safety.****Explosive properties:** Product does not present an explosion hazard.**Change in condition:****Evaporation rate:** Not applicable.**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	
May be corrosive to metals.	
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity****10.1 Reactivity:** No further relevant information available.**10.2 Chemical stability:****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:**

Reacts with alkali (lyes).

Develops corrosive gases/fumes.

**10.4 Conditions to avoid:** No further relevant information available.**10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

---

**Trade name: Ceramill Liquid FX RO, GIN**

---

(Contd. of page 5)

**10.6 Hazardous decomposition products:**

Hydrogen chloride (HCl)  
Corrosive gases/vapours

---

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

---

**SECTION 12: Ecological information****12.1 Toxicity:**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

**12.5 Results of PBT and vPvB assessment:**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects:** No further relevant information available.

**Additional ecological information:****General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods:****Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue:**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

---

(Contd. on page 7)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

Trade name: Ceramill Liquid FX RO, GIN

(Contd. of page 6)

**SECTION 14: Transport information**

14.1 UN number or ID number  
ADR, IMDG, IATA UN1789

14.2 UN proper shipping name:  
ADR 1789 HYDROCHLORIC ACID  
IMDG, IATA HYDROCHLORIC ACID

14.3 Transport hazard class(es):  
ADR, IMDG, IATA



Class: 8 Corrosive substances.  
Label: 8

14.4 Packing group:  
ADR, IMDG, IATA III

14.5 Environmental hazards:  
Marine pollutant: No

14.6 Special precautions for user: Warning: Corrosive substances.  
Hazard identification number (Kemler code): 80  
EMS Number: F-A,S-B  
Segregation groups: Acids  
Stowage Category: E

14.7 Maritime transport in bulk according to IMO instruments: Not applicable.

**Transport/Additional information:**

ADR

Limited quantities (LQ): 5L  
Transport category: 3  
Tunnel restriction code: E  
UN "Model Regulation": UN 1789 HYDROCHLORIC ACID, 8, III

**SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:  
No further relevant information available.

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

15.2 **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases:**

H290 May be corrosive to metals.

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date: 08.03.2021

Version number: 1.0

Revision: 08.03.2021

---

**Trade name: Ceramill Liquid FX RO, GIN**

---

(Contd. of page 7)

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

**Department issuing SDS:**

ADEEGO GmbH  
Wildsteig 4A  
D-42113 Wuppertal  
Tel. +49 (0) 202 2575700  
Fax. +49 (0) 202 2575701  
Email: mail@adeego.de  
www.adeego.de

**Contact:** Dr. Axel Deeg**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Met. Corr. 1: Corrosive to metals – Category 1  
Acute Tox. 4: Acute toxicity - oral – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

---