



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name: Reiniger 150ml**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against:

No further relevant information available.

**Application of the substance / the preparation:** Auxiliary for dental technology

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:**

Firmenbezeichnung  
Amann Girrbach AG  
Herrschaftswiesen 1  
A-6842 Koblach  
Telefon: 0043 5523 623330  
Fax: 0043 5523 55990  
Email: [austria@amanngirrbach.com](mailto:austria@amanngirrbach.com)  
Internet: [www.amanngirrbach.com](http://www.amanngirrbach.com)

Inverkehrbringer  
Amann Girrbach GmbH  
Duerrenweg 40  
D-75177 Pforzheim  
Telefon: 0049 7231 957100  
Fax: 0049 7231 957129  
Email: [germany@amanngirrbach.com](mailto:germany@amanngirrbach.com)  
Internet: [www.amanngirrbach.com](http://www.amanngirrbach.com)

**Further information obtainable from:** Amann Girrbach GmbH

#### 1.4 Emergency telephone number:

Giftinformationszentrum-Nord / GIZ-Nord Poisons Centre  
Telefon / Phone +49 (0) 551/19240  
24h / 7d

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No 1272/2008:**

GHS02 flame

Aerosol 1            H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS09 environment

Aquatic Chronic 2 H411            Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2	H315	Causes skin irritation.
STOT SE 3	H336	May cause drowsiness or dizziness.

(Contd. on page 2)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

**Trade name: Reiniger 150ml**

(Contd. of page 1)

**2.2 Label elements:****Labelling according to Regulation (EC) No 1272/2008:**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:**

GHS02 GHS07 GHS09

**Signal word:** Danger**Hazard-determining components of labelling:**

naphtha (petroleum), hydrotreated light

**Hazard statements:**

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements:**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P405 Store locked up.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards:****Results of PBT and vPvB assessment:****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 64742-49-0 EINECS: 265-151-9	naphtha (petroleum), hydrotreated light ⚠ Flam. Liq. 2, H225; ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336	>50-≤100%
CAS: 64-17-5 EINECS: 200-578-6	ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	>10-≤25%
CAS: 109-87-5 EINECS: 203-714-2 Reg.nr.: 01-2119664781-31	dimethoxymethane ⚠ Flam. Liq. 2, H225	>10-≤25%
CAS: 124-38-9 EINECS: 204-696-9	carbon dioxide ⚠ Press. Gas (Liq.), H280	>2.5-≤10%

(Contd. on page 3)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

---

**Trade name: Reiniger 150ml**

---

(Contd. of page 2)

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures:****General information:**

Take affected persons out into the fresh air.

Do not leave affected persons unattended.

**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** In cases of frost bites, rinse with plenty of water. Do not remove clothing.**After eye contact:**

Rinse opened eye for several minutes under running water.

Call a doctor immediately.

**After swallowing:** Call a doctor immediately.**4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media:****Suitable extinguishing agents:**CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**5.2 Special hazards arising from the substance or mixture:** Can form explosive gas-air mixtures.**5.3 Advice for firefighters:****Protective equipment:**

Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Keep away from ignition sources.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.**6.3 Methods and material for containment and cleaning up:**

Absorb liquid components with liquid-binding material.

Ensure adequate ventilation.

**6.4 Reference to other sections:**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling:**

Open and handle receptacle with care.

Ensure good ventilation/exhaustion at the workplace.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

**Information about fire - and explosion protection:**

Fumes can combine with air to form an explosive mixture.

Protect from heat.

Emergency cooling must be available in case of nearby fire.

(Contd. on page 4)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

**Trade name: Reiniger 150ml**

(Contd. of page 3)

Keep ignition sources away - Do not smoke.  
Do not spray onto a naked flame or any incandescent material.

**7.2 Conditions for safe storage, including any incompatibilities:****Storage:****Requirements to be met by storerooms and receptacles:**

Store in a cool location.  
Observe official regulations on storing packagings with pressurised containers.  
Store only in the original receptacle.

**Information about storage in one common storage facility:**

Store away from oxidising agents.  
Store away from foodstuffs.

**Further information about storage conditions:**

Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.

**7.3 Specific end use(s):** No further relevant information available.**SECTION 8: Exposure controls/personal protection****8.1 Control parameters:****Ingredients with limit values that require monitoring at the workplace:****64-17-5 ethanol**

OEL Short-term value: 1000 ppm

**109-87-5 dimethoxymethane**OEL Long-term value: 3100 mg/m<sup>3</sup>, 1000 ppm**124-38-9 carbon dioxide**OEL Long-term value: 9000 mg/m<sup>3</sup>, 5000 ppm  
IOELV**8.2 Exposure controls:****Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.  
Wash hands before breaks and at the end of work.  
Keep away from foodstuffs, beverages and feed.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.

**Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A

**Hand protection** Protective gloves**Material of gloves:**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material:**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Eye/face protection** Tightly sealed goggles

(Contd. on page 5)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

Trade name: Reiniger 150ml

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties:

##### General Information:

Physical state	Aerosol
Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Not applicable, as aerosol.
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	0.8 Vol % (64-17-5 ethanol)
Upper:	15 Vol % (64-17-5 ethanol)
Flash point:	Not applicable, as aerosol.
Auto-ignition temperature:	Product is not selfigniting.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Fully miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.742 g/cm <sup>3</sup>
Relative density:	Not determined.
Vapour density:	Not determined.

#### 9.2 Other information:

##### Appearance:

Form: Aerosol

##### Important information on protection of health and environment, and on safety.

Ignition temperature: 200 °C

Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

##### Change in condition:

Evaporation rate: Not applicable.

##### Information with regard to physical hazard classes

Explosives: Void

Flammable gases: Void

##### Aerosols

Extremely flammable aerosol. Pressurised container: May burst if heated.

Oxidising gases: Void

Gases under pressure: Void

Flammable liquids: Void

Flammable solids: Void

Self-reactive substances and mixtures: Void

(Contd. on page 6)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

Trade name: Reiniger 150ml

(Contd. of page 5)

Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

**10.1 Reactivity:** No further relevant information available.

**10.2 Chemical stability:**

**Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions:** Forms explosive gas mixture with air.

**10.4 Conditions to avoid:** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:**

Carbon monoxide and carbon dioxide

Flammable gases/vapours

### SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure**

May cause drowsiness or dizziness.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

**12.1 Toxicity:**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

**12.5 Results of PBT and vPvB assessment:**

**PBT:** Not applicable.

**vPvB:** Not applicable.

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

Trade name: Reiniger 150ml

(Contd. of page 6)

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:

Additional ecological information:

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

European waste catalogue:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN1950

14.2 UN proper shipping name:

ADR

1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS

IMDG

AEROSOLS (naphtha (petroleum), hydrotreated light), MARINE POLLUTANT

IATA

AEROSOLS, flammable

14.3 Transport hazard class(es):

ADR



Class:

2.5F Gases.

Label:

2.1

IMDG



Class:

2.1 Gases.

Label:

2.1

IATA



Class:

2.1 Gases.

Label:

2.1

(Contd. on page 8)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

**Trade name: Reiniger 150ml**

(Contd. of page 7)

**14.4 Packing group:****ADR, IMDG, IATA****14.5 Environmental hazards:****Marine pollutant:****Special marking (ADR):****14.6 Special precautions for user:****Hazard identification number (Kemler code):****EMS Number:****Stowage Code**

Void

Product contains environmentally hazardous substances: naphtha (petroleum), hydrotreated light  
Symbol (fish and tree)

Symbol (fish and tree)

Warning: Gases.

-

F-D,S-U

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

SG69 For AEROSOLS with a maximum capacity of 1 litre:

Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.

For AEROSOLS with a capacity above 1 litre:

Segregation as for the appropriate subdivision of class 2.

For WASTE AEROSOLS:

Segregation as for the appropriate subdivision of class 2.

**Segregation Code****14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

**Transport/Additional information:****ADR****Limited quantities (LQ):**

1L

**Transport category:**

2

**Tunnel restriction code:**

D

**UN "Model Regulation":**

UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:****Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category**

E2 Hazardous to the Aquatic Environment

P3b FLAMMABLE AEROSOLS

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

(Contd. on page 9)





## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 02.05.2022

Version number: 1.0

Revision: 02.05.2022

**Trade name: Reiniger 150ml**

(Contd. of page 8)

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases:**

- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

**Department issuing SDS:**

ADEEGO GmbH  
Wildsteig 4A  
D-42113 Wuppertal  
Tel. +49 (0) 202 2575700  
Fax. +49 (0) 202 2575701  
Email: mail@adeego.de  
www.adeego.de

© Copyright by ADEEGO GmbH

**Contact:** Dr. Axel Deeg**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Aerosol 1: Aerosols – Category 1  
Press. Gas (Liq.): Gases under pressure – Liquefied gas  
Flam. Liq. 2: Flammable liquids – Category 2  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
Asp. Tox. 1: Aspiration hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2